DLR-2104/1.0TBV

Article number: 207934

Digital Video Recorder, 4 Channels, H.264, 960x576, 100fps, 1TB, Alarm

Mainfeatures

- 960H Support, Pentaplex operation
- H.264 video compression standard
- Recording speed: 100 ips max.
- Secondary storage / Archiving via USB 2.0
- Storage capacity: 1,0TB
- IR remote control and mouse control
- Full HD 1920x1080 HDMI/VGA main output
- Resolution: 960x576 px. max.
- Network connectivity (10/100Base-T Ethernet)
- Live picture & playback zoom (2x)
- Integral motion detector
- RS-232/RS-485 ports (PC and telemetry control)

Specifications

Series	eneo DLR
Menu languages	German, English, French, Italian, Spanish, Dutch, Danish, Russian, Polish, Hungarian, Czech
Alarm outputs	1x NO/NC contact
Network protocols	HTTP, ADSL, DHCP, TCP, UPnP, RTSP, NTP
Password protection	yes
Power consumption	20W
Temperature range (operation)	+5°C ~ +40°C
Certificates	CE
Dimensions (HxWxD)	52x265x188mm
Weight	1,5 kg
Parts supplied	IR remote controller, PSU, remote viewer software, manual

DLR-2104/1.0TBV

Specifications continued

Serial interfaces	RS-232, RS-485
Compression standard	H.264
Video standard	PAL / NTSC (auto selection)
Alarm inputs	4x TTL, programmable as NC/NO
Channels total	4
IP channels	-
Video inputs (amount)	4
Operation system	Embedded Linux
Max. recording resolution	960x576
Max. recording rate	100 fps
Max. recording rate	@960x576
Operation mode	Pentaplex
Harddisk capacity (internal)	1 TB
Max. harddisk capacity (internal)	3 TB
Recording	permanent, movement, timer, panic, event
Main video outputs	HDMI, VGA
Spot monitor	no
Remote access	Microsoft Internet Explorer, remote software
Network	10/100 Base-Tx, RJ45
Control units (external)	system keyboard, mouse
Integrated writer	no
Audio inputs	-
Covert camera mode	available
Mobile access	iPhone, Android OS
Interfaces external storage	USB

DLR-2104/1.0TBV

Available Accessories

Bild	Art. Nr. / Bezeichnung	Beschreibung
	206552 / iRAS	Remote Administration / Interface Software for DLR, DMR, and PNR-53xx series
	208347 / HDD-3000SATA-THB	Hard Disk Drive 3TB, SATA, DLR5-xx, DLR-21xx,PNR-53xx expansion unit
	74746 / KBD-NSC-100	Network System Controller with 3-Axis Joystick and Jog Shuttle, 5VDC
	209005 / HDD-2001SATA-WD	Hard Disk Drive 2TB, SATA, for eneo, DLR, DMR, HDR-5, PNR-51 Series, expansion

Your Contact Person

SLD Security & Communications
4 Mays Close, Weybridge, Surrey KT130XL England
Phone +44.1483225633 Fax +44.1483225634
enquiries@sld.uk http://sld.uk/